ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2025, Revision 06.03.2025

Version 6.0. Supersedes version: 5.0

Page 1 / 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Gear oil SAE 75W-80 (GL-4)

Article number: 170126, 170127, 170134

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Gearbox oil

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body Call NHS 111 or a doctor +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictogramsnoneSignal wordnoneHazard statementsnonePrecautionary statementsnone

Special labelling EUH210 Safety data sheet available on request.

Contains: Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched), 2-Ethylhexyl

methacrylate. EUH208 May produce an allergic reaction.

2.3 Other hazards

Physico-chemical hazards No particular hazards known.

Human health dangers The substance/mixture does not contain components considered to have endocrine disrupting

properties according to REACH Article 57(f) or Commission Delegated regulation (EU)

2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels

of 0.1% or higher.

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

Environmental hazards

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2025, Revision 06.03.2025

Version 6.0. Supersedes version: 5.0

Page 2 / 14

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
2 - < 20	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
	CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - < 10	Distillates (petroleum), hydrotreated light paraffinic
	CAS: 64742-55-8, EINECS/ELINCS: 265-158-7, EU-INDEX: 649-468-00-3, Reg-No.: 01-2119487077-29-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - < 2,5	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)
	EINECS/ELINCS: 931-384-6, Reg-No.: 01-2119493620-38-XXXX
	GHS/CLP: Acute Tox. 4: H302 - Eye Irrit. 2: H319 - Skin Sens. 1: H317 - Aquatic Chronic 2: H411
	SCL [%]: 9,39 - 100: Skin Sens. 1: H317, >50 - 100: Eye Irrit. 2: H319
0,1 - < 1	2-Ethylhexyl methacrylate
	CAS: 688-84-6, EINECS/ELINCS: 211-708-6, EU-INDEX: 607-134-00-4, Reg-No.: 01-2119490166-35-XXXX
	GHS/CLP: Skin Irrit. 2: H315 - Skin Sens. 1B: H317 - Eye Irrit. 2: H319 - STOT SE 3: H335 - Aquatic Chronic 3: H412

Comment on component parts

For full text of H-statements and R-phrases: see SECTION 16. Contains less than 3% w/w DMSO-extract (only for mineral oils)

SECTION 4: First aid measures

1 Description of first aid measures

General information Change soaked clothing.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact In case of contact with skin wash off immediately with plenty of water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Consult a doctor immediately.

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO) Sulphur oxides (SOx). Nitrogen oxides (NOx).

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2025, Revision 06.03.2025

Version 6.0. Supersedes version: 5.0

Page 3 / 14

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. oil binder).

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid formation of aerosols.

Use only in well-ventilated areas.

Use solvent-resistant equipment.

The product is combustible.

Do not eat, drink or smoke when using this product.

After worktime and before work breaks the affected skin areas must be thoroughly cleaned.

Use barrier skin cream.

Cloths contaminated with product should not be kept in trouser pockets.

Take off contaminated clothing and wash before reuse.

Contaminated work clothing should not be allowed out of the workplace.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with oxidizing agents.

Keep container tightly closed.

Keep container in a well-ventilated place.

7.3 Specific end use(s)

See product use, SECTION 1.2



Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2025, Revision 06.03.2025

Version 6.0. Supersedes version: 5.0

Page 4 / 14

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

Substance

Cubatanaa

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)

CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX

Long-term exposure: 5 mg/m³, oil mist

Short-term exposure (15-minute): 10 mg/m³

Distillates (petroleum), hydrotreated light paraffinic

CAS: 64742-55-8, EINECS/ELINCS: 265-158-7, EU-INDEX: 649-468-00-3, Reg-No.: 01-2119487077-29-XXXX

Long-term exposure: 5 mg/m³, ACGIH TLV (OIL MIST)

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m³
Industrial, inhalative, Long-term - local effects, 5.58 mg/m³
Industrial, dermal, Long-term - systemic effects, 970 μg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m³
general population, oral, Long-term - systemic effects, 740 μg/kg bw/day
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)
Industrial, inhalative, Long-term - systemic effects, 4.28 mg/m³
Industrial, dermal, Long-term - systemic effects, 12.5 mg/kg bw/day
Industrial, dermal, Long-term - local effects, 160 μg/cm ²
Industrial, dermal, Acute - local effects, 160 μg/cm²
general population, inhalative, Long-term - systemic effects, 1.09 mg/m³
general population, dermal, Long-term - systemic effects, 6.25 mg/kg bw/day
general population, dermal, Long-term - local effects, 160 μg/cm ²
general population, dermal, Acute - local effects, 160 μg/cm ²
general population, oral, Long-term - systemic effects, 250 μg/kg bw/day
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
Industrial, inhalative, Long-term - systemic effects, 2,73 mg/m³
Industrial, inhalative, Long-term - local effects, 5,58 mg/m³
Industrial, dermal, Long-term - systemic effects, 0,97 mg/kg
general population, oral, Long-term - systemic effects, 0,74 mg/kg
2-Ethylhexyl methacrylate, CAS: 688-84-6
Industrial, inhalative, Long-term - systemic effects, 70,5 mg/m³
Industrial, dermal, Long-term - systemic effects, 5 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 20,9 mg/m³
general population, oral, Long-term - systemic effects, 3 mg/kg bw/day

PNEC

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
oral (food), 9,33 mg/kg
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)
freshwater, 2.4 µg/L
seawater, 240 ng/L
sewage treatment plants (STP), 24.33 mg/L
seawater, 240 ng/L



Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2025, Revision 06.03.2025

Version 6.0. Supersedes version: 5.0

Page 5 / 14

sediment (freshwater), 12.9 μg/kg sediment dw
sediment (seawater), 1.29 µg/kg sediment dw
soil, 1.17 μg/kg soil dw
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
oral (food), 9,33 mg/kg
2-Ethylhexyl methacrylate, CAS: 688-84-6
freshwater, 0,003 mg/L
seawater, 0 mg/L
sewage treatment plants (STP), 10 mg/L
sediment (freshwater), 2,24 mg/kg sediment dw
sediment (seawater), 0,224 mg/kg sediment dw
soil, 0,446 mg/kg soil dw

8.2 Exposure controls

Additional advice on system design
Ensure adequate ventilation on workstation.

General exposure limit for oil mist should be noted.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

Nitrile butyl rubber (NBR) > 0,38 mm:, (EN 374-1/-2/-3).

Skin protection Light protective clothing.

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.

Respiratory protection not applicable

Thermal hazards No information available.

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2025, Revision 06.03.2025

Version 6.0. Supersedes version: 5.0

Page 6 / 14

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical stateliquidFormliquidColoryellowOdorcharacteristic

Odour threshold No information available.

pH-value not applicablepH-value [1%] not applicable

Boiling point or initial boiling point

and boiling range [°C]

No information available.

Flash point [°C] 230

Flammability Not highly flammable.

Lower explosion limit No information available.

Upper explosion limit No information available.

Oxidising properties no

Vapour pressure/gas pressure [kPa] No information available.

Density [g/cm³] 0,85 (DIN 51757) (15 °C / 59,0 °F)

Relative density not determined

Bulk density [kg/m³] not applicable

Solubility in water immiscible

Solubility other solvents No information available.

Partition coefficient n-octanol/water No information available.

(log value)

Kinematic viscosity 57,3 mm²/s (40°C)
Relative vapour density No information available.
Melting point [°C] No information available.

Auto-ignition temperature [°C] not determined

Decomposition temperature [°C] No information available.

Particle characteristics not applicable

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

See SECTION 10.3.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4 Conditions to avoid

No special measures necessary.

10.5 Incompatible materials

Strong oxidizing agent. Strong basic compounds Strong acids.



Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2025, Revision 06.03.2025

Version 6.0. Supersedes version: 5.0

Page 7 / 14

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2025, Revision 06.03.2025

Version 6.0. Supersedes version: 5.0

Page 8 / 14

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute oral toxicity

Product

oral, Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LD50, oral, Rat, > 5000 mg/kg bw

Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)

LD50, oral, Rat, 2000 mg/kg bw (OECD 401)

NOAEL, oral, 150 mg/kg bw/day

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

no adverse effect observed (by analogy with similar substances), (CAS 64742-56-9),

LC50, oral, Rat, > 5000 mg/kg, OECD 401

2-Ethylhexyl methacrylate, CAS: 688-84-6

LD50, oral, Rat, 16465 mg/kg bw

Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LD50, dermal, Rabbit, > 5000 mg/kg bw

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

no adverse effect observed (by analogy with similar substances), (CAS 64742-56-9),

LD50, dermal, Rabbit, > 5000 mg/kg, OECD 402

Acute inhalational toxicity

Product

inhalative, Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LC50, inhalativ (mist), Rat, > 5,53 mg/l, OECD 403, 4h

Serious eye damage/irritation Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

Rabbit (eye), OECD 405, non-irritating

2-Ethylhexyl methacrylate, CAS: 688-84-6

Eye, irritant

Skin corrosion/irritation Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

Rabbit, in vivo, non-irritating

Respiratory or skin sensitisation Based on t

Based on the available information, the classification criteria are not fulfilled.

NOAEL, oral, Rat, 120 mg/kg bw/day



Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2025, Revision 06.03.2025

Version 6.0. Supersedes version: 5.0

Page 9 / 14

No classification due to substance-specific concentration limits.

Substance	
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8	
dermal, Guinea pig, OECD 406, non-sensitizing	
2-Ethylhexyl methacrylate, CAS: 688-84-6	
dermal, sensitising	

Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure

Does not contain a relevant substance that meets the classification criteria. Based on the available information, the classification criteria are not fulfilled.

Mutagenicity

Does not contain a relevant substance that meets the classification criteria. Based on the available information, the classification criteria are not fulfilled.

Substance
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
in vitro, OECD 471, negativ
in vivo, OECD 474, negativ
2-Ethylhexyl methacrylate, CAS: 688-84-6
in vitro, negativ

Reproduction toxicity

Does not contain a relevant substance that meets the classification criteria. Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance	
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7	
NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed	
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8	
NOAEL, Rat, (P, F1) : >= 1000 mg/kg, OECD 421	

- Development

Substance
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
NOAEL, Rat, 2000 mg/kg, OECD 414
LOAEL, Rat, 125 mg/kg, OECD 414
2-Ethylhexyl methacrylate, CAS: 688-84-6
NOAEL, oral, Rabbit, 100 mg/kg bw/day

Carcinogenicity

Does not contain a relevant substance that meets the classification criteria. Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard General remarks



Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2025, Revision 06.03.2025

Version 6.0. Supersedes version: 5.0

Page 10 / 14

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

11.2 Information on other hazards

11.2.1 Endocrine disrupting

properties

Contains no ingredients with endocrine-disrupting properties.

11.2.2 Other information none

SECTION 12: Ecological information

12.1 Toxicity

Substance		
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7		
EC50, (48h), > 10000 mg/l (Gammarus pulex), OECD 202		
EC50, (72h), Algae, > 100 mg/l		
NOEC, (72h), Pseudokirchneriella subcapitata, ≥ 100 mg/l, OECD 201		
NOEC, (21d), Daphnia magna, 10 mg/l, OECD 211		
LL50, (96h), Fish, > 100 mg/l, OECD 203		
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)		
EC50, (96h), Algae, 6.4 - 15 mg/L		
EC50, (3h), Microorganisms, 2.433 g/L		
EL50, (48h), Invertebrates, 91.4 mg/L		
EL50, (21d), Invertebrates, 660 - 910 μg/L		
LL50, (96h), Fish, 24 mg/L		
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8		
LC50, (96h), Pimephales promelas, > 100 mg/l, OECD 203		
EL50, (48h), Daphnia magna, > 10 000 mg/l, OECD 202		
NOELR, (14d), Oncorhynchus mykiss, >= 1000 mg/l		
NOEL, (72h), Pseudokirchneriella subcapitata, >= 100 mg/l, OECD 201		
NOEL, (21d), Daphnia magna, 10 mg/l, OECD 211		
NOEL, (72h), Pseudokirchneriella subcapitata, >= 100 mg/l, OECD 201		
2-Ethylhexyl methacrylate, CAS: 688-84-6		
LC50, (96h), Fish, 2,78 mg/L		
EC50, (48h), Invertebrates, 2,18 mg/L		
EC50, (72h), Pseudokirchneriella subcapitata, 7,68 mg/L		

12.2 Persistence and degradability

Behaviour in environment

compartments

not determined

Behaviour in sewage plant not determined Biological degradability not determined

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

(28d), 31 %, OECD 301 F, The product is not readily biodegradable.

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

(28d), 2 - 4 %, OECD 301 B

(28d), 31,13 %, OECD 301 F

The product is not readily biodegradable.

12.3 Bioaccumulative potential

No information available.

Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2025, Revision 06.03.2025

Version 6.0. Supersedes version: 5.0

Page 11 / 14

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

In according to RoHS!

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended) 130206*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110* packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

NO DANGEROUS GOODS

ADR/RID

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

IMDG

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"



Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2025, Revision 06.03.2025

Version 6.0. Supersedes version: 5.0

Page 12 / 14

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

Inland navigation (ADN)

not applicable

not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to

not applicable

ADR/RID

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

Inland navigation (ADN)

no

Marine transport in accordance with no

ADR/RID

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable



Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2025, Revision 06.03.2025

Version 6.0. Supersedes version: 5.0

Page 13 / 14

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707

- Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex XIV (REACH) According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain

any substances ≥ 0.1% that are subject to authorisation.

- Annex XVII (REACH) According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1%

of substances with the following restrictions. 75

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to

any restrictions.

TRANSPORT-REGULATIONS ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2025)

NATIONAL REGULATIONS (UK): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

- VOC (2010/75/CE) not relevant

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H412 Harmful to aquatic life with long lasting effects.

H335 May cause respiratory irritation.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

H317 May cause an allergic skin reaction.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 06.03.2025, Revision 06.03.2025

Version 6.0. Supersedes version: 5.0

Page 14 / 14

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Modified position

1.3, 2.2, 2.3, 3.2, 7.1, 8.1, 9.1, 11.1, 15.1, 16.2, 16.3